



MAPLUS

CATALOG²⁰¹⁹₂₀₂₀

**#ARE
YOU
RE
ADY?**

MAPLUS

GENERAL CATALOG 2019/2020

SKI ^{WAX}

XLS

EXTRA
LONG
LASTING
SPEED



XLS

EXTRA LONG LASTING SPEED

XLS is the name: it means Xtra Long-lasting Speed. If you are looking for the fastest speed and the longest performance, you must choose XLS. It gives a super acceleration and the fastest final speed, with a long-lasting performance and duration.

Speed has never been so easy: just spray, spread and ski! XLS !

PRODUCTS

XLS
EXTRA LONG
LASTING SPEED

XLS 4.0
CODE: MW0894
SIZE: 50 ml

Liquid accelerator for competition. Use with any type of artificial snow and natural snow from new moist to old transformed, icy and wet with temperatures from 0 ° to -6 °C and relative air humidity over 50%.

It is recommended to apply over perfluorinated waxes, as Maplus FP4, but it can also be used directly over fluorinated paraffins like Maplus HP3 and LP2. It can be applied in the ski-room, leaving it to dry out then polishing with a soft horsehair or nylon manual brush, or at the last minute in the starting area without letting it to dry. Cold application with the felt applicator included in the package.

PRODUCTS

XLS
EXTRA LONG
LASTING SPEED

XLS 6.0
CODE: MW0896
SIZE: 50 ml

Liquid accelerator for competition. Use with any type of artificial snow and natural snow from powder to transformed compact and icy with temperatures from -6° to -12°C and relative air humidity over 50%.

It is recommended to apply over perfluorinated waxes as Maplus FP4, but it can also be used directly over fluorinated paraffins like Maplus HP3 and LP2. It can be applied in the ski-room leaving it to dry out then polishing with a soft horsehair or nylon manual brush, or at the last minute in the starting area without letting it to dry. Cold application with the felt applicator included in the package.





ALPINE/NORDIC/SNOWBOARD

SKI WAX | **RACE**
LINE

FLASH

FLUORINATED

LIQUID POLYMER

HIGH SPEED ACCELERATOR

PRODUCTS

YELLOW FLASH

CODE: MW0662

SIZE : 50 ml

USE

SNOW TEMP:

HUMIDITY:

-3°/0° C

60/100%

Fluorinated liquid polymer for racing. Use for wet, granita and icy snow from -3° to 0°C with completely transformed snow crystal with medium and big grain. It works great from hard coarse snow to wet snow and in all intermediate conditions while step by step the sun melts the snow. The Yellow Flash is also the best in raining conditions but only if it's raining over completely transformed snow as above mentioned. If it's snowing with new big moist and wet flakes together with raining on new moist and polish snow, Yellow Flash does not work. It needs at least one day of snow transformation then it works greatly. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder waxes or on fluorinated paraffins. Recommended cold application with the fe,t cap-applicator.



FP4

PERFLUORINATED LIQUID WAX

PRODUCTS

FP4 COLD

CODE: MW0850

SIZE : 50 ml

USE

SNOW TEMP:

HUMIDITY:

- 22°/ - 8° C

30 / 70%

Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from -22°C to -8°C. Air humidity from 30% to 70%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with merino wool rollers.

FP4

PERFLUORINATED POWDER WAX

PRODUCTS

FP4 COLD

CODE: MW0840

SIZE : 30 gr

USE

SNOW TEMP:

HUMIDITY:

APPLICATION:

- 22°/ - 8° C

30 / 70%

160 °C

Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -22°C to -8°C. Air humidity from 30% to70%. Recommended hot application with waxing iron at 160°C.

FP4

PERFLUORINATED POWDER WAX

PRODUCTS

FP4 SUPERMED

CODE: MW0843

SIZE : 30 gr

USE

SNOW TEMP:

HUMIDITY:

APPLICATION:

- 16°/ - 2° C

40 / 80%

160 °C

Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -16°C to -2°C. Air humidity from 40% to 80%. Good also on icy hard snow in springtime condition. Recommended hot application with waxing iron at 160°C.

FP4

PERFLUORINATED POWDER WAX

PRODUCTS

FP4 MED

CODE: MW0841

SIZE : 30 gr

USE

SNOW TEMP:

HUMIDITY:

APPLICATION:

- 9°/ - 2° C

60 / 100%

160 °C

Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -9°C to -2°C. Air humidity from 60% to 100%. Recommended hot application with waxing iron at 160°C.

FP4

PERFLUORINATED POWDER WAX

PRODUCTS

FP4 HOT

CODE: MW0842

SIZE : 30 gr

USE

SNOW TEMP:

HUMIDITY:

APPLICATION:

- 3°/0° C

60 / 100%

160 °C

Fluorocarbon powder wax for racing. Use for all type of snow with temperature from -3°C to 0°C. Air humidity from 60% to 100%. Recommended hot application with waxing iron at 160°C.

FP4

PERFLUORINATED LIQUID WAX

PRODUCTS

FP4 SUPERMED

CODE: MW0853

SIZE : 50 ml

USE

SNOW TEMP:

HUMIDITY:

- 16°/ - 2° C

40 / 80%

Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from -16°C to -2°C. Air humidity from 40% to 80%. Good also on icy hard snow in springtime condition. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with merino wool rollers.

FP4

PERFLUORINATED LIQUID WAX

PRODUCTS

FP4 MED

CODE: MW0851

SIZE : 50 ml

USE

SNOW TEMP:

HUMIDITY:

- 9°/ - 2° C

60 / 100%

Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from -9°C to -2°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with merino wool rollers.

FP4

PERFLUORINATED LIQUID WAX

PRODUCTS

FP4 HOT

CODE: MW0852

SIZE : 50 ml

USE

SNOW TEMP:

HUMIDITY:

- 3°/0° C

60 / 100%

Fluorocarbon liquid wax for racing. Use for all type of snow with temperature from -3°C to 0°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with merino wool rollers.



FP4
PERFLUORINATED SOLID WAX

Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -22°C to -8°C. Air humidity from 30% to 70%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool rollers.

PRODUCTS

FP4 COLD

CODE: MW0860
SIZE : 20 gr

USE

SNOW TEMP: - 22° / - 8° C
HUMIDITY: 30 / 70%



FP4
PERFLUORINATED SOLID WAX

Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -16°C to -2°C. Air humidity from 40% to 80%. Good also on icy hard snow in springtime condition. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool rollers.

PRODUCTS

FP4 SUPERMED

CODE: MW0863
SIZE : 20 gr

USE

SNOW TEMP: - 16° / - 2° C
HUMIDITY: 40 / 80%



FP4
PERFLUORINATED SOLID WAX

Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -9°C to -2°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool rollers.

PRODUCTS

FP4 MED

CODE: MW0861
SIZE : 20 gr

USE

SNOW TEMP: - 9° / - 2° C
HUMIDITY: 60 / 100%



FP4
PERFLUORINATED SOLID WAX

Fluorocarbon solid wax for racing. Use for all type of snow with temperature from -3°C to 0°C. Air humidity from 60% to 100%. Excellent as accelerant and corrector at the start on fluorocarbon powder wax or on fluorinated paraffin. Recommended cold application with polyester and merino wool rollers.

PRODUCTS

FP4 HOT

CODE: MW0862
SIZE : 20 gr

USE

SNOW TEMP: - 3° / 0° C
HUMIDITY: 60 / 100%



HP3
HIGH FLUORINATED PARAFFIN

High fluoro powder paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for snow from -30°C to -10°C. Air humidity from 50% to 90%. This paraffin can be used alone as above mentioned or as an hardener for the high fluorinated paraffins HP3 VIOLET and HP3 RED in case of abrasive new or conserved snow or mixed with artificial snow. Use hot application with the waxing iron at 160°C.

PRODUCTS

HP3 GREEN POWDER

CODE: MW0900
SIZE : 50 gr

USE

SNOW TEMP: - 30° / - 10° C
HUMIDITY: 50 / 90%
APPLICATION: 160 °C



HP3
HIGH FLUORINATED PARAFFIN

**HP3 BLUE MOLY
COLD ADDITIVE**

CODE: MW0901M - 50 gr
CODE: MW0911M - 250 gr
CODE: MW0921M - 1 kg

USE

SNOW TEMP: - 25° / - 10° C
HUMIDITY: 50 / 90%
APPLICATION: 150° / 160 °C

High fluoro solid paraffin with moly for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for old abrasive dry snow with temperature from -25°C to -10°C. Air humidity from 50% to 90%. Excellent during a long period without snow falling and with dirty snow. This paraffin can be also used as a moly hardener for HP3 VIOLET and HP3 RED in case of old, abrasive, windy and dirty snow, both natural and artificial. Use hot application with the waxing iron at 150°/160°C.

PRODUCTS



HP3
HIGH FLUORINATED PARAFFIN

HP3 VIOLET

CODE: MW0902 - 50 gr
CODE: MW0912 - 250 gr
CODE: MW0922 - 1 kg

USE

SNOW TEMP: - 12° / - 6° C
HUMIDITY: 60 / 100%
APPLICATION: 140° / 150 °C

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with temperature from -12°C to -6°C. Air humidity from 60% to 100%. In case of new or conserved abrasive snow and artificial snow, mix HP3 VIOLET with HP3 GREEN or LP2 GREEN if the humidity is lower. Use hot application with the waxing iron at 140°/150°C.

PRODUCTS



HP3
HIGH FLUORINATED PARAFFIN

HP3 RED

CODE: MW0903 - 50 gr
CODE: MW0913 - 250 gr
CODE: MW0923 - 1 kg

USE

SNOW TEMP: - 7° / - 3° C
HUMIDITY: 60 / 100%
APPLICATION: 130° / 140 °C

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with temperature from -7°C to -3°C. Air humidity from 60% to 100%. In case of new or conserved abrasive snow, artificial snow and springtime icy snow, mix HP3 RED with HP3 GREEN or LP2 GREEN if the humidity is lower. Use hot application with the waxing iron at 130°/140°C.

PRODUCTS



PRODUCTS

HP3
HIGH FLUORINATED PARAFFIN

HP3 YELLOW 1

CODE: MW0904 - 50 gr
CODE: MW0914 - 250 gr
CODE: MW0924 - 1 kg

USE

SNOW TEMP: - 4°/0° C
HUMIDITY: 60 / 100%
APPLICATION: 110° / 120 °C

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for new moist not wet snow with temperature from -4°C to 0°C. Air humidity from 60% to 100%. Is the only choice with polish and sticky snow. Use hot application with the waxing iron at 110°/120°C.



PRODUCTS

HP3
HIGH FLUORINATED PARAFFIN

HP3 YELLOW 2

CODE: MW0905 - 50 gr
CODE: MW0915 - 250 gr
CODE: MW0925 - 1 kg

USE

SNOW TEMP: - 5°/ - 1° C
HUMIDITY: 60 / 100%
APPLICATION: 120° / 130 °C

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for transformed snow, not wet and springtime icy, with temperature from -5°C to -1°C. Air humidity from 60% to 100%. Use hot application with the waxing iron at 120°/130°C.



PRODUCTS

HP3
HIGH FLUORINATED PARAFFIN

HP3 ORANGE 1

CODE: MW0906 - 50 gr
CODE: MW0916 - 250 gr
CODE: MW0926 - 1 kg

USE

SNOW TEMP: - 4°/0° C
HUMIDITY: 60 / 100%
APPLICATION: 120° / 130 °C

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for springtime icy and grainy snow, but little wet, with temperature from -4°C to 0°C. Air humidity from 60% to 100%. Use hot application with the waxing iron at 120°/130°C.



PRODUCTS

HP3
HIGH FLUORINATED PARAFFIN

HP3 ORANGE 2

CODE: MW0907 - 50 gr
CODE: MW0917 - 250 gr
CODE: MW0927 - 1 kg

USE

SNOW TEMP: - 3°/0° C
HUMIDITY: 60 / 100%
APPLICATION: 100° / 110 °C

High fluoro solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for clean wet snow, with temperature from -3°C to 0°C. and rainy conditions. Air humidity from 60% to 100%. Use hot application with the waxing iron at 100°/110°C.



PRODUCTS

HP3
HIGH FLUORINATED PARAFFIN

**HP3 ORANGE 2 MOLY
HOT ADDITIVE**

CODE: MW0907M - 50 gr
CODE: MW0917M - 250 gr
CODE: MW0927M - 1 kg

USE

SNOW TEMP: - 3°/0° C
HUMIDITY: 60 / 100%
APPLICATION: 100° / 110 °C

High fluoro solid paraffin with moly for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for wet snow and dirty snow from -3°C to 0°C. and rainy conditions. Air humidity from 60% to 100%. This paraffin can be used as a moly additive for HP3 RED, YELLOW 2, and ORANGE 1 in case of old dirty snow, both natural and artificial. Use hot application with the waxing iron at 100°/110°C.



PRODUCTS

LP2
MEDIUM FLUORINATED PARAFFIN

LP2 GREEN POWDER

CODE: MW0950
SIZE : 100 gr

USE

SNOW TEMP: - 30°/ - 10° C
HUMIDITY: 20 / 60%
APPLICATION: 160 °C

Fluorinated powder paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for fine-abrasive snow from -30°C to -10°C. Air humidity from 20% to 60%. This paraffin can be also used as an hardener for paraffins LP2 VIOLET and LP2 RED or HP3 VIOLET and HP3 RED in case of new or conserved abrasive snow and mixed with artificial snow. Use hot application with the waxing iron at 160°C.



PRODUCTS



LP2
MEDIUM FLUORINATED PARAFFIN

LP2 BLUE

CODE: MW0951 - 50 gr
CODE: MW0961 - 250 gr
CODE: MW0971 - 1 kg

USE

SNOW TEMP: - 25°/ - 10° C
HUMIDITY: 20 / 60%
APPLICATION: 150° / 160 °C

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for old transformed snow, with temperature from -25°C to -10°C. Air humidity from 20% to 60%. Excellent during a long period without snow falling. Use hot application with the waxing iron at 150°/160°C.



PRODUCTS



LP2
MEDIUM FLUORINATED PARAFFIN

LP2 VIOLET

CODE: MW0952 - 50 gr
CODE: MW0962 - 250 gr
CODE: MW0972 - 1 kg

USE

SNOW TEMP: - 12°/ - 6° C
HUMIDITY: 20 / 60%
APPLICATION: 140° / 150 °C

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with temperature from -12°C to -6°C. Air humidity from 20% to 60%. In case of new or conserved abrasive snow and artificial snow, mix LP2 VIOLET with LP2 GREEN. Use hot application with the waxing iron at 140°/150°C.



PRODUCTS



LP2
MEDIUM FLUORINATED PARAFFIN

LP2 RED

CODE: MW0953 - 50 gr
CODE: MW0963 - 250 gr
CODE: MW0973 - 1 kg

USE

SNOW TEMP: - 7°/ - 3° C
HUMIDITY: 30 / 60%
APPLICATION: 130° / 140 °C

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow with temperature from -7°C to -3°C. Air humidity from 30% to 60%. In case of new or conserved abrasive snow, artificial snow and springtime icy snow, mix LP2 RED with LP2 GREEN. Use hot application with the waxing iron at 130°/140°C.



| | |
|----------|--|
| PRODUCTS | LP2 MEDIUM FLUORINATED PARAFFIN |
| | LP2 YELLOW |
| | CODE: MW0954 - 50 gr CODE: MW0964 - 250 gr CODE: MW0974 - 1 kg |

USE
SNOW TEMP: -5° / -1° C
HUMIDITY: 30 / 60%
APPLICATION: 110° / 120 °C

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of snow, not wet, with temperature from -5°C to -1°C. Air humidity from 30% to 60%. Use hot application with the waxing iron at 110°/120°C.



| | |
|----------|--|
| PRODUCTS | LP2 MEDIUM FLUORINATED PARAFFIN |
| | LP2 ORANGE |
| | CODE: MW0955 - 50 gr CODE: MW0965 - 250 gr CODE: MW0975 - 1 kg |

USE
SNOW TEMP: -4° / 0° C
HUMIDITY: 30 / 60%
APPLICATION: 100° / 110 °C

Fluorinated solid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. Use for all type of wet snow with temperature from -4°C to 0°C and rainy conditions. Air humidity from 30% to 60%. Use hot application with the waxing iron at 100°/110°C.

CLEANER LINE



| | |
|----------|-------------------|
| PRODUCTS | CLEANER |
| | FLUORCLEAN |

CODE: MW0750 - 150 ml - SPRAY
CODE: MW0751 - 0,5 lt - LIQUID
CODE: MW0752 - 1 lt - LIQUID

Liquid cleaner to remove residuals of any type of perfluorinated wax and the dirt collected during activity.



| | |
|----------|----------------|
| PRODUCTS | CLEANER |
| | CLEAN |

CODE: MW0755 - 150 ml - SPRAY
CODE: MW0756 - 0,5 lt - LIQUID
CODE: MW0757 - 1 lt - LIQUID
CODE: MW0758 - 4,9 lt - LIQUID

Liquid cleaner to remove residuals of any type of paraffin (fluorinated paraffin included) and the dirt collected during activity.



| | |
|----------|--------------------------------|
| PRODUCTS | RACING BASE PARAFFIN |
| | ARCTIC BASE |

CODE: MW1000 - POWDER - 100 gr
CODE: MW0810 - 250 gr
CODE: MW0820 - 1 kg

USE
SNOW TEMP: -30° / -10° C
APPLICATION: 160 °C

Powder and solid paraffin for training use and racing. Use for new, fine, abrasive snow with temperature from -30°C to -10°C. In case of very abrasive old icy snow (spring snow and glacier snow), this paraffin can be used over the fluorocarbon waxes FP4 to increase their long lasting. The final result will be a lower hydrophobia. It can also be used as universal hardener to protect the polyethylene base along the steel edges foils in case of natural or artificial very abrasive snow. Use hot application with the waxing iron at 160°C.



| | |
|----------|--------------------------------|
| PRODUCTS | RACING BASE PARAFFIN |
| | MED BASE |

CODE: MW0870 - 250 gr
CODE: MW0875 - 1 kg

USE
SNOW TEMP: -10° / -5° C
APPLICATION: 130° / 140 °C

Solid base paraffin for any type of snow with temperature from -10°C to -5°C. It's an excellent product for the protection of racing ski bases and it can be used as universal training and testing base. Use hot application with the waxing iron at 130°/140°C.



| | |
|----------|--------------------------------|
| PRODUCTS | RACING BASE PARAFFIN |
| | SOFT BASE |

CODE: MW0871 - 250 gr
CODE: MW0876 - 1 kg

USE
SNOW TEMP: -5° / 0° C
APPLICATION: 120° / 130 °C

Solid base paraffin for any type of snow with temperature from -5°C to 0°C. It's an excellent product for the saturation and the protection of racing ski bases and it can be used as universal training and testing base. It has a melting point of 60°C so it's the best product for the hot saturation of polyethylene ski bases with the thermo-box or the thermo-cover. Use hot application with the waxing iron at 120°/130°C.



| | |
|----------|--------------------------------|
| PRODUCTS | RACING BASE PARAFFIN |
| | XSOFT BASE |

CODE: MW0873 - 250 gr
CODE: MW0878 - 1 kg

USE
SNOW TEMP: -2° / 0° C
APPLICATION: 110° / 120 °C

Solid base paraffin for any type of snow with temperature from -2°C to 0°C. It's an excellent product for the saturation and the protection of racing ski bases. It has a melting point of 48°C so it's a very good product for the hot saturation of polyethylene ski bases with the thermo-box or the thermo-cover. Use hot application with the waxing iron at 110°/120°C.

SKI WAX

ALPINE/NORDIC/SNOWBOARD

SPORT

LINE





PRODUCTS

LP15
LOW FLUORINATED PARAFFIN

LP15 VIOLET

CODE: MW0400 - 50 gr
CODE: MW0410 - 250 gr
CODE: MW0420 - 1 kg

USE

AIR TEMP: -19°/ -9° C
HUMIDITY: > 50 %
APPLICATION: 140° / 150° C

Low fluoro solid paraffin for training use and leisure. Use for all type of snow, with temperature from -19°C to -9°C. Performancing use with air humidity > 50%. Use hot application with the waxing iron at 140°/150°C.



PRODUCTS

BP10
HYDRO CARBON PARAFFIN

BP10 VIOLET

CODE: MW0300 - 50 gr
CODE: MW0310 - 250 gr
CODE: MW0320 - 1 kg

USE

AIR TEMP: -19°/ -9° C
HUMIDITY: < 50 %
APPLICATION: 140° / 150° C

Solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -19°C to -9°C. Performancing use with air humidity < 50%. Use hot application with the waxing iron at 140°/150°C.



PRODUCTS

LP15
LOW FLUORINATED PARAFFIN

LP15 RED

CODE: MW0401 - 50 gr
CODE: MW0411 - 250 gr
CODE: MW0421 - 1 kg

USE

AIR TEMP: -9°/ -3° C
HUMIDITY: > 50 %
APPLICATION: 130° / 140° C

Low fluoro solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -9°C to -3°C. It's an excellent product for the protection of ski bases and it can be used as universal racing and training base. Performancing use with air humidity > 50%. Use hot application with the waxing iron at 130°/140°C.



PRODUCTS

BP10
HYDRO CARBON PARAFFIN

BP10 RED

CODE: MW0301 - 50 gr
CODE: MW0311 - 250 gr
CODE: MW0321 - 1 kg

USE

AIR TEMP: -9°/ -3° C
HUMIDITY: < 50 %
APPLICATION: 130° / 140° C

Solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -9°C to -3°C. It's an excellent product for the protection of ski bases and it can be used as universal racing and training base. Performancing use with air humidity < 50%. Use hot application with the waxing iron at 130°/140°C.



PRODUCTS

LP15
LOW FLUORINATED PARAFFIN

LP15 YELLOW

CODE: MW0402 - 50 gr
CODE: MW0412 - 250 gr
CODE: MW0422 - 1 kg

USE

AIR TEMP: -3°/ +9° C
HUMIDITY: > 50 %
APPLICATION: 120° / 130° C

Low fluoro solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -3°C to +9°C. Performancing use with air humidity > 50%. Use hot application with the waxing iron at 120°/130°C.



PRODUCTS

BP10
HYDRO CARBON PARAFFIN

BP10 YELLOW

CODE: MW0302 - 50 gr
CODE: MW0312 - 250 gr
CODE: MW0322 - 1 kg

USE

AIR TEMP: -3°/ +9° C
HUMIDITY: < 50 %
APPLICATION: 120° / 130° C

Solid paraffin for training use and leisure. Use for all type of snow, not wet, with temperature from -3°C to +9°C. Performancing use with air humidity < 50%. Use hot application with the waxing iron at 120°/130°C.



ALPINE/NORDIC/SNOWBOARD

SKI WAX

PER
FOR
MAN
CE LINE



| | | | |
|---|---|---|---|
| PRODUCTS | LIQUID SKIWAX HIGH FLUORINATED PARAFFIN | | |
| | HP3 COLD | HP3 MED | HP3 HOT |
| USE | CODE: MW0930 - 75 ml CODE: MW0940 - 0,5 lt | CODE: MW0931 - 75 ml CODE: MW0941 - 0,5 lt | CODE: MW0932 - 75 ml CODE: MW0942 - 0,5 lt |
| | SNOW TEMP: -22°/ -8° C HUMIDITY: 60/100% | SNOW TEMP: -9°/ -2° C HUMIDITY: 60/100% | SNOW TEMP: -3°/ 0° C HUMIDITY: 60/100% |
| High fluorinated liquid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. | | | |
| HP3 COLD Use for any type of snow from -22°C to -8°C. Air humidity from 60% to 100%. HP3 MED Use for any type of snow from -9°C to -2°C. Air humidity from 60% to 100% HP3 HOT Use for any type of snow from -3°C to 0°C. Air humidity from 60% to 100%. | | | |
| Use cold application with manual cork and manual brush. | | | |



| | | | |
|---|--|--|--|
| PRODUCTS | LIQUID SKIWAX FLUORINATED PARAFFIN | | |
| | LP2 COLD | LP2 MED | LP2 HOT |
| USE | CODE: MW0980 - 75 ml CODE: MW0983 - 150 ml CODE: MW0986 - 0,5 lt | CODE: MW0981 - 75 ml CODE: MW0984 - 150 ml CODE: MW0987 - 0,5 lt | CODE: MW0982 - 75 ml CODE: MW0985 - 150 ml CODE: MW0988 - 0,5 lt |
| | SNOW TEMP: -22°/ -8° C HUMIDITY: 30/60% | SNOW TEMP: -9°/ -2° C HUMIDITY: 30/60% | SNOW TEMP: -3°/ -0° C HUMIDITY: 30/60% |
| Fluorinated liquid paraffin for racing use as final product or as a base before applying fluorocarbon waxes FP4. | | | |
| LP2 COLD Use for any type of snow from -22°C to -8°C. Air humidity from 30% to 60%. LP2 MED Use for any type of snow from -9°C to -2°C. Air humidity from 30% to 60%. LP2 HOT Use for any type of snow from -3°C to 0°C. Air humidity from 30% to 60%. | | | |
| Use cold application with manual cork and manual brush. | | | |



| | | | |
|--|--|--|--|
| PRODUCTS | LIQUID SKIWAX HYDROCARBON PARAFFIN | | |
| | BP1 COLD | BP1 MED | BP1 HOT |
| USE | CODE: MW0830 - 75 ml CODE: MW0833 - 150 ml CODE: MW0836 - 0,5 lt | CODE: MW0831 - 75 ml CODE: MW0834 - 150 ml CODE: MW0837 - 0,5 lt | CODE: MW0832 - 75 ml CODE: MW0835 - 150 ml CODE: MW0838 - 0,5 lt |
| | SNOW TEMP: -22°/ -8° C HUMIDITY: < 40% | SNOW TEMP: -9°/ -2° C HUMIDITY: < 40% | SNOW TEMP: -3°/ 0° C HUMIDITY: < 40% |
| Liquid paraffin for training use and leisure. | | | |
| BP1 COLD Use for any type of snow from -22°C to -8°C. Racing use with air humidity < 40%. BP1 MED Use for any type of snow from -9°C to -2°C. Racing use with air humidity < 40%. It can be used as universal training product. BP1 HOT Use for any type of snow from -3°C to 0°C. Racing use with air humidity < 40%. | | | |
| Use cold application with manual cork and manual brush. | | | |



| | | |
|----------|--|--|
| PRODUCTS | LIQUID SKIWAX GLIDING LIQUID KIT | |
| | BP1 KIT 3 x 75 ml CODE: MW0839 | |

Liquid paraffin for training use and leisure.

BP1 COLD Use for any type of snow from -22°C to -8°C. Racing use with air humidity < 40%.
BP1 MED Use for any type of snow from -9°C to -2°C. Racing use with air humidity < 40%.
It can be used as universal training product.
BP1 HOT Use for any type of snow from -3°C to 0°C. Racing use with air humidity < 40%.

Use cold application with manual cork and manual brush.



| | | |
|----------|---|--|
| PRODUCTS | BP1 COLD KIT CODE: MW0201 | |
| | SNOW TEMP: -22°/ -8° C HUMIDITY: < 40% | |

- Kit with MT0111 (cork/nylon brush)



| | | |
|----------|------------------------------------|--------------------|
| PRODUCTS | BP1 MED KIT CODE: MW0202 | |
| | SNOW TEMP: HUMIDITY: | -9°/-2° C < 40% |

- Kit with MT0111 (cork/nylon brush)



| | | |
|----------|------------------------------------|--------------------|
| PRODUCTS | BP1 HOT KIT CODE: MW0203 | |
| | SNOW TEMP: HUMIDITY: | -3°/ 0° C < 40% |

- Kit with MT0111 (cork/nylon brush)



| | | |
|----------|---|--|
| PRODUCTS | UNIVERSAL FLUORO CODE: MW0200 | |
| | | |

- Kit with MT0111 (cork/nylon brush)

ALPINE/NORDIC/SNOWBOARD

SKI WAX SUPER GLIDE DE LINE WAX



PRODUCTS

UNIVERSAL FLUORO SUPER GLIDE WAX DISPLAY BOX LIQUID

CODE: MW0718
SIZE: 12 pz x 75 ml

USE

SNOW TEMP: -15°/ 0° C

High quality universal liquid paraffin for sporting use and leisure. Use for all type of snow. The product has a felt cap applicator to allow a quick waxing "last minute" operation with great gliding and long lasting.



PRODUCTS

UNIVERSAL FLUORO SUPER GLIDE WAX DISPLAY BOX CREAM

CODE: MW0724
SIZE: 12 pz x 75 ml

USE

SNOW TEMP: -15°/ 0° C

High quality universal low fluoro glide wax. Ideal for sporting and leisure in all conditions. Quick application with the sponge-cap included by rubbing and pressing. Then for best results polish the base with a horsehair or nylon brush.



PRODUCTS

UNIVERSAL FLUORO SUPER GLIDE WAX CREAM

CODE: MW0722
SIZE: 250 ml

USE

SNOW TEMP: -15°/ 0° C

High quality universal low fluoro glide wax. Ideal for sporting and leisure in all conditions. Quick application with the sponge included by rubbing and pressing. Then for best results polish the base with a horsehair or nylon brush.



PRODUCTS

UNIVERSAL FLUORO SUPER GLIDE WAX SOLID

CODE: MW0728
SIZE: 100 gr

USE

SNOW TEMP: -15°/ 0° C
APPLICATION: 130° / 140° C

Universal all temperature high quality paraffin glide wax for sporting and leisure in all conditions. Use hot application with the waxing iron at 130°/140°C. Also ideal for rub-on and go application!



ALPINE/NORDIC/SNOWBOARD

SKI WAX

UNIVERSAL WAX LINE



UNIVERSAL SOLID
UNIVERSAL WAX LINE

PRODUCTS

RED

CODE: MW0700 - 100 gr
CODE: MW0702 - 1 kg

USE

SNOW TEMP: - 15°/ - 5° C
APPLICATION: 130° / 140 °C

Universal solid paraffin for sporting use and leisure. Use for all type of snow, not moist and wet, with temperature from -15°C to -5°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 130°/140°C or with professional waxing machines.



UNIVERSAL SOLID
UNIVERSAL WAX LINE

PRODUCTS

YELLOW

CODE: MW0701 - 100 gr
CODE: MW0703 - 1 kg

USE

SNOW TEMP: - 5°/ 0° C
APPLICATION: 110° / 120 °C

Universal solid paraffin for sporting use and leisure. Use for all type of moist and wet snow, with temperature from -5°C to 0°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 110°/120°C or with professional waxing machines.



UNIVERSAL SOLID
FLUORINATED
UNIVERSAL WAX LINE

PRODUCTS

RED FLUORO

CODE: MW0705 - 100 gr
CODE: MW0707 - 1 kg

USE

SNOW TEMP: - 15°/ - 5° C
APPLICATION: 130° / 140 °C

Universal fluorinated solid paraffin for sporting use and leisure. Use for all type of snow, not moist and wet, with temperature from -15°C to -5°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 130°/140°C or with professional waxing machines.



UNIVERSAL SOLID
FLUORINATED
UNIVERSAL WAX LINE

PRODUCTS

YELLOW FLUORO

CODE: MW0706 - 100 gr
CODE: MW0708 - 1 kg

USE

SNOW TEMP: - 5°/ 0° C
APPLICATION: 110° / 120 °C

Universal fluorinated solid paraffin for sporting use and leisure. Use for all type of moist and wet snow, with temperature from -5°C to 0°C. It's a product especially suitable for rentals and laboratories. Use hot application with the waxing iron at 110°/120°C or with professional waxing machines.



PRODUCTS

UNIVERSAL GRANULAR
UNIVERSAL WAX LINE
COLD

CODE: MW0710 - 5 kg
CODE: MW0712 - 20 kg

SNOW TEMP: - 15°/ -5° C

Universal solid paraffin for sporting use and leisure. Use for all type of winter snow, not moist and wet, from temperature -15°C to -5°C. It's a product especially suitable for rentals and laboratories. Use hot application with professional waxing machines.

PRODUCTS

UNIVERSAL GRANULAR
UNIVERSAL WAX LINE
HOT

CODE: MW0711 - 5 kg
CODE: MW0713 - 20 kg

SNOW TEMP: - 5°/ 0° C

Universal solid paraffin for sporting use and leisure. Use for all type of moist and wet snow from temperature -5°C to 0°C. It's a product especially suitable for rentals and laboratories. Use hot application with professional waxing machines.



UNIVERSAL LIQUID
UNIVERSAL WAX LINE

PRODUCTS

UNIVERSAL LIQUID

CODE: MW0715 - 1 lt
CODE: MW0716 - 4.9 lt

Universal liquid paraffin for sporting use and leisure. Use for all type of snow. It's a product especially suitable for rentals and laboratories. Use cold application with brush and manual cork.



ANTI ICE
UNIVERSAL WAX LINE

PRODUCTS

ANTI ICE

CODE: MW0732
SIZE: 150 ml

Special silicone spray made to prevent the grip waxes from freezing or to avoid ice formation on the kick zone of no-wax ski. It's also useful to avoid ice formation on the serigraphy and the side of any type of ski. Cold application.

ALPINE/NORDIC/SNOWBOARD

SKI WAX

ALP WAX LINE



PRODUCTS

UNIVERSAL TOUR TOURING SKIN & BASE WAX DISPLAY BOX LIQUID

CODE: MW0747
SIZE: 12 pz x 75 ml

USE

SNOW TEMP: -15°/ 0° C

High quality universal liquid paraffin for sporting use on ski-alp skins and ski bases with every kind of snow. The product has a felt cap applicator that allows quick cold "last minute" waxing with great gliding and long lasting.



PRODUCTS

UNIVERSAL TOUR RACING SKIN WAX BLUE BOOST RUB-ON

CODE: MW0748
SIZE: 20 gr

USE

SNOW TEMP: -20°/ -5° C
APPLICATION: 150° C

Fluorocarbon special solid mix for waxing ski-alp racing skins. Use for every cold snow from -20°C to -5°C. Recommended cold application by rubbing over the skin. To obtain even higher durability some quick passages with waxing iron at 150° C can be made (exclusively on pure mohair skins).



PRODUCTS

UNIVERSAL TOUR RACING SKIN WAX RED BOOST RUB-ON

CODE: MW0749
SIZE: 20 gr

USE

SNOW TEMP: -5°/ 0° C
APPLICATION: 150° C

Fluorocarbon special solid mix for waxing ski-alp racing skins. Use for every warm and wet snow from -5°C to 0°C. Recommended cold application by rubbing over the skin. To obtain even higher durability some quick passages with waxing iron at 150° C can be made (exclusively on pure mohair skins).



ALPINE/NORDIC/SNOWBOARD

SKI WAX

GRIP
WAX
LINE



PRODUCTS
GRIPWAX BASE
ORANGE S10
CODE: MWOS10
SIZE: 45 gr

USE
ALL AIR TEMP - STICKBASE

Stick base to be used always as first layer of solid waxes with fine falling snow and new aggressive snow little transformed or mixed with artificial snow. It works with every air temperature.



PRODUCTS
GRIPWAX
GREEN S11
CODE: MWOS11
SIZE: 45 gr

USE
AIR TEMP: -16°/-8° C

Stick wax to be used with fine falling snow and new aggressive snow little transformed or mixed with artificial snow. It works with air temperature from -16°C to -8°C.



PRODUCTS
GRIPWAX
DARK BLUE S12
CODE: MWOS12
SIZE: 45 gr

USE
AIR TEMP: -10°/-6° C

Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -10° C to -6°C.



PRODUCTS
GRIPWAX
LIGHT BLUE S13
CODE: MWOS13
SIZE: 45 gr

USE
AIR TEMP: -5°/-3° C

Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -5° C to -3°C.



PRODUCTS
GRIPWAX
DARK VIOLET S14
CODE: MWOS14
SIZE: 45 gr

USE
AIR TEMP: -3°/-1° C

Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -3° C to -1°C.



PRODUCTS
GRIPWAX
LIGHT VIOLET S15
CODE: MWOS14
SIZE: 45 gr

USE
AIR TEMP: -2°/+1° C

Stick wax to be used with fine falling snow and new snow little transformed or mixed with artificial snow. It works with air temperature from -2° C to +1°C.



PRODUCTS
GRIPWAX
RED S16
CODE: MWOS16
SIZE: 45 gr

USE
AIR TEMP: 0°/+4° C

Stick wax to be used with falling snow and new snow or mixed with artificial snow. It works with air temperature from 0° C to +4°C.



PRODUCTS
GRIPWAX BASE
GREEN K10
CODE: MWOK10
SIZE: 60 gr

USE
AIR TEMP: -7°/-1° C

Klister to be used with transformed snow with big crystals and with icy coarse snow or mixed with artificial snow. It works with air temperature from -7°C to -1°C. Moreover it must always be used as first layer (base klister) for all klister wax with any temperature.



PRODUCTS
GRIPWAX
BLUE K11
CODE: MWOK11
SIZE: 60 gr

USE
AIR TEMP: -4°/0° C

Klister to be used with transformed snow with big crystals and with icy coarse snow or mixed with artificial snow. It works with air temperature from -4°C to 0°C.



PRODUCTS
GRIPWAX
VIOLET K12
CODE: MWOK12
SIZE: 60 gr

USE
AIR TEMP: -3°/+3° C

Klister to be used with transformed snow with big crystals and with icy coarse snow or mixed with artificial snow. It works with air temperature from -3°C to +3°C.



PRODUCTS
GRIPWAX
RED K13
CODE: MWOK13
SIZE: 60 gr

USE
AIR TEMP: -1°/+4° C

Klister to be used with transformed snow with big crystals and with icy coarse and wet snow or mixed with artificial snow. It works with air temperature from -1°C to +4°C.



PRODUCTS
GRIPWAX BASE
SILVER K14
CODE: MWOK14
SIZE: 60 gr

USE
AIR TEMP: 0°/+5° C

Silver Klister to be used with transformed snow or mixed with artificial snow with big and medium crystals. It works with air temperature from 0°, to +5°C. Very good to reduce friction and speed up sliding on very abrasive snow.



PRODUCTS
GRIPWAX
UNIVERSAL K15
CODE: MWOK15
SIZE: 60 gr

USE
AIR TEMP: -5°/+5° C


Universal Klister to be used with transformed snow or mixed with artificial snow with big crystals transforming from wet to icy. It works with air temperature from -5 °C to +5°C and it avoids ice formation.



PRODUCTS
GRIPWAX KIT
CODE: MWOSK050
1pc: MWOS13
1pc: MWOS14
1pc: MWOS15
1pc: MWOK15
1pc: MT0113
1pc: MT0510



TOOLS AND AC CE SOR IES



PRODUCTS


MANUAL
BRUSH

HARD HORSEHAIR
CODE: MT0101

To be used for deep brushing of any type of paraffin and perfluorinated wax.

SOFT HORSEHAIR
CODE: MT0104

To be used for fine brushing of any type of paraffin and perfluorinated wax.



PRODUCTS


MANUAL
BRUSH

HARD NYLON
CODE: MT0105

To be used with front and back movements for surface brushing and polishing of any type of paraffin and perfluorinated wax.

SOFT NYLON
CODE: MT0102

To be used for deep polishing of any type of paraffin and perfluorinated wax.




PRODUCTS

MANUAL
BRUSH

HARD BRASS
CODE: MT0106

To be used for first brushing of any type of soft and med paraffin.



PRODUCTS

MANUAL
BRUSH

SOFT BRASS
CODE: MT0103

To be used for smooth brushing of any type of soft and med paraffin and during the polyethylene-base cleaning operations.



PRODUCTS

MANUAL
BRUSH

SOFT STEEL
CODE: MT0107

To be used for smooth brushing of any type of hard paraffin and during the polyethylene-base cleaning operations.



PRODUCTS

MANUAL
BRUSH

HARD HORSEHAIR
CODE: MT0121

To be used for deep brushing of any type of paraffin and perfluorinated wax.

SOFT HORSEHAIR
CODE: MT0124

To be used for fine brushing of any type of paraffin and perfluorinated wax.



PRODUCTS

MANUAL
BRUSH

HARD NYLON
CODE: MT0125

To be used with front and back movements for surface brushing and polishing of any type of paraffin and perfluorinated wax.

SOFT NYLON
CODE: MT0122

To be used for deep polishing of any type of paraffin and perfluorinated wax.



PRODUCTS

MANUAL
BRUSH

HARD BRASS
CODE: MT0126

To be used for first brushing of any type of soft and med paraffin.



PRODUCTS

MANUAL
BRUSH

SOFT BRASS
CODE: MT0123

To be used for smooth brushing of any type of soft and med paraffin and during the polyethylene-base cleaning operations.



PRODUCTS


MANUAL
BRUSH

HARD STEEL
CODE: MT0128
Angled wire

To be used for first brushing of any type of hard paraffin and for speeding up polyethylene ski sole during its saturation.

SOFT STEEL
CODE: MT0127

To be used for smooth brushing of any type of hard paraffin and during the polyethylene-base cleaning operations.



PRODUCTS
ROTO BRUSH
HORSEHAIR
CODE: MT0012 - 10 cm
HORSEHAIR
CODE: MT0042 - 14 cm
HORSEHAIR
CODE: MT0014 - 20 cm

To be used for deep brushing of any type of paraffin and perfluorinated wax on cross-country and alpine ski as well as snowboard.

PRODUCTS
ROTO BRUSH
NYLON
CODE: MT0013 - 10 cm
NYLON
CODE: MT0043 - 14 cm
NYLON
CODE: MT0015 - 20 cm

To be used for polishing of any type of paraffin and perfluorinated wax on cross-country and alpine ski as well as snowboard.

PRODUCTS
ROTO BRUSH
BRASS
CODE: MT0011 - 10 cm
BRASS
CODE: MT0018 - 20 cm

To be used for first brushing of soft and med paraffin on cross-country and alpine ski as well as snowboard.

PRODUCTS
ROTO BRUSH
STEEL
CODE: MT0017 - 10 cm
STEEL
CODE: MT0019 - 20 cm

To be used for first brushing of hard paraffin on cross-country and alpine ski as well as snowboard.

PRODUCTS
ROTO BRUSH
CORK
CODE: MT0022 - 10 cm
CORK
CODE: MT0024 - 14 cm

To be used for FP4 perfluorinated wax application.

PRODUCTS
ROTO BRUSH
XC COMBI 1
CODE: MT0049 - 14 cm

To be used for deep brushing and polishing of any type of paraffin on cross-country ski.



PRODUCTS
ROTO BRUSH
QUICK GRIP
CODE: MT0030



PRODUCTS
ROTO BRUSH
NOMIC GRIP
CODE: MT0040

PRODUCTS
MANUAL BRUSH

ROTO KIT 10 CM - CORK
CODE: MT0060 (MT0040 + MT0041 + MT0022-12-13)



PRODUCTS
MANUAL BRUSH

ROTO KIT 10 CM - BRASS
CODE: MT0065 (MT0040 + MT0041 + MT0011-12-13)



PRODUCTS
MANUAL BRUSH

ROTO KIT 10 CM - POLYESTER
CODE: MT0066 (MT0040 + MT0041 + MT0070-12-13)



PRODUCTS
ROTO BRUSH
QUIK DRIVE SHAFT
CODE: MT0031 - 10 cm
CODE: MT0032 - 14 cm
CODE: MT0033 - 20 cm



PRODUCTS
ROTO BRUSH
NOMIC DRIVE SHAFT
CODE: MT0041 - 10 cm
CODE: MT0047 - 14 cm
CODE: MT0048 - 20 cm



PRODUCTS
MANUAL BRUSH

ROTOBRUSH BOX
CODE: BMC0103
38x28x9 cm
only for 10 cm brushes

SPEED FABRIC ROLLERS



PRODUCTS

SPEED FABRIC ROLLERS

SPREADING ROLLER POLYESTER

CODE: MT0070 - cm 10
CODE: MT0075 - cm 14
CODE: MT0080 - cm 20



PRODUCTS

SPEED FABRIC ROLLERS

BRUSHING ROLLER MERINO WOOL 5mm

CODE: MT0081 - cm 20



PRODUCTS

SPEED FABRIC ROLLERS

POLISHING ROLLER MERINO WOOL 12mm

CODE: MT0072N - cm 10
CODE: MT0077N - cm 14
CODE: MT0082N - cm 20



PRODUCTS

SPEED FABRIC ROLLERS

POLYESTER & MERINO WOOL ROTO SET CM 10

CODE: MT0085N



PRODUCTS

SPEED FABRIC ROLLERS

POLYESTER & MERINO WOOL ROTO SET CM 14

CODE: MT0086N



PRODUCTS

SPEED FABRIC ROLLERS

POLYESTER & MERINO WOOL ROTO SET CM 20

CODE: MT0087N

Polyester and Merino wool rollers especially recommended for hot or cold application of every FP4 perfluorinated waxes (powder, spray or solid) as detailed in Maplus Ski Wax waxing manual, available on www.maplus.it. Instead of roto-cork and traditional horsehair and nylon brushes, use new rollers of polyester and merino wool as follows:

1. Roll the base surface with the roto-polyester in both directions at a speed between 1000 and 1500 rpm according to the pressure applied. Repeat several times until the complete saturation of the base surface. Wait at least 10 minutes for cooling of the base surface and for the ski wax to harden.
 2. Free the base structure with the 5 mm. roto-wool.
 3. Polish the base structure with the 12 mm. roto-wool.
- For top performances is necessary one set of new rollers for every type of product (cold-med-hot).



WAXING IRONS



PRODUCTS

WAXING IRONS

ADJUSTABLE WAXING IRON T10B.15

CODE: KZ05000N
AC 220V
MAX TEMP. 200°C



PRODUCTS

WAXING IRONS

DIGITAL WAXING IRON T10A.15

CODE: KZ06000N
AC 220V
MAX TEMP. 200°C



PRODUCTS

WAXING IRONS

DIGITAL WAXING IRON T10A.35

CODE: KZ03000N
AC 220V
MAX TEMP. 200°C



PRODUCTS

WAXING IRONS

ELECTRONIC IRON WAX

CODE: KZ06001
AC 110V
MAX TEMP. 160°C
ONLY US AND JAPAN MARKET



PRODUCTS

WAXING IRONS

FACIAL MASK

CODE: KZ08000
CE EN 136 - Class 3

First choice waxing iron with easy temperature adjustment.

Professional waxing iron with digital temperature adjustment.

World Cup high professional waxing iron with extremely precise digital temperature adjustment. The 35 mm thick iron base guarantees the full constant temperature.



PRODUCTS

WAXING IRONS

IRON WAX

CODE: KZ05001
AC 110V
MAX TEMP. 160°C
ONLY US AND JAPAN MARKET



PRODUCTS

WAXING IRONS

FILTER FOR FACIAL MASK

CODE: KZ08001
MSA A2-B2-E2-K1-HG-P3 CE

SKI FILES



PRODUCTS

SKI FILES

HARD CHROME FINE
CODE: ML0001 - 150 mm
CODE: ML0002 - 200 mm

PRODUCTS


SKI FILES

HARD CHROME COARSE
CODE: BK00010 - 150 mm
CODE: ML0003 - 200 mm

PRODUCTS

SKI FILES

HARD CHROME SUPER COARSE
CODE: ML0004 - 200 mm



PRODUCTS

SKI FILES

COMBI FILE MEDIUM - COARSE
CODE: ML0530 - 80 mm

PRODUCTS



PRODUCTS

SKI FILES

BODY FILE
CODE: ML0005 - 300 mm



PRODUCTS

SKI FILES

FILE BRUSH
CODE: MT0100



PRODUCTS

SKI FILES

PROFESSIONAL HARD CHROME BASTARD
CODE: ML0501 - 200 mm

PRODUCTS

SKI FILES

PROFESSIONAL HARD CHROME 2ND CUT
CODE: ML0502 - 200 mm

PRODUCTS

SKI FILES

PROFESSIONAL HARD CHROME SMOOTH
CODE: ML0503 - 150 mm



PRODUCTS

SKI FILES

PROFESSIONAL NO-CHROME BASTARD
CODE: ML0511 - 200 mm

PRODUCTS

SKI FILES

PROFESSIONAL NO-CHROME 2ND CUT
CODE: ML0512 - 200 mm

PRODUCTS

SKI FILES

PROFESSIONAL NO-CHROME SMOOTH
CODE: ML0513 - 150 mm



PRODUCTS

SKI FILES

PRO RS NO-CHROME COARSE
CODE: ML0525 - 100 mm

PRODUCTS

SKI FILES

PRO RS NO-CHROME MEDIUM
CODE: ML0526 - 100 mm

PRODUCTS

SKI FILES

PRO RS NO-CHROME FINE
CODE: ML0527 - 100 mm

DIAFACE - DIAMOND - STONES



PRODUCTS

DIAFACE

DIAFACE 100 gr
CODE: MP0210 - 70 mm
MP0200 - 100 mm

DIAFACE 400 gr
CODE: MP0212 - 70 mm
MP0202 - 100 mm

DIAFACE 1000 gr
CODE: MP0214 - 70 mm
MP0204 - 100 mm

DIAFACE 200 gr
CODE: MP0211 - 70 mm
MP0201 - 100 mm

DIAFACE 600 gr
CODE: MP0213 - 70 mm
MP0203 - 100 mm



PRODUCTS

DIAMOND

WORLD CUP DIAMOND 100 gr
CODE: MP0310 - 70 mm
MP0300 - 100 mm

WORLD CUP DIAMOND400 gr
CODE: MP0312 - 70 mm
MP0302 - 100 mm

WORLD CUP DIAMOND 1000 gr
CODE: MP0314 - 70 mm
MP0304 - 100 mm

WORLD CUP DIAMOND 200 gr
CODE: MP0311 - 70 mm
MP0301 - 100 mm

WORLD CUP DIAMOND 600 gr
CODE: MP0313 - 70 mm
MP0303 - 100 mm



PRODUCTS

DIAFACE

MINI SQUARE 88°
CODE: MP0150
for diaface 70 mm

MINI SQUARE 87°
CODE: MP0151
for diaface 70 mm



PRODUCTS

STONES

GUMMY STONE
CODE: MP0010 - FINE



PRODUCTS

STONES

NATURAL STONE
CODE: MP0002 - FINE
CODE: MP0003 - MEDIUM



PRODUCTS

STONES

ARKANSAS
CODE: MP0004 - EXTRA FINE



PRODUCTS

STONES

ALU OXIDE STONE
CODE: BK00006 MEDIUM



PRODUCTS
WAXING TOOLS
CORK/NYLON BRUSH
CODE: MT0111
75 x 55 x 34 mm



PRODUCTS
WAXING TOOLS
CORK/FELT BRUSH
CODE: MT0115
135 x 42 x 39 mm



PRODUCTS
WAXING TOOLS
STEEL STRUCTURE BRUSH
CODE: BK00130



PRODUCTS
WAXING TOOLS
PLEXY SCRAPER
CODE: MT0511
130 x 60 x 4 mm
SNOWBOARD SCRAPER
CODE: MT0515
260 x 70 x 5 mm



PRODUCTS
WAXING TOOLS
PTFE TAPE
CODE: MT0901
10 mt x 130 mm
PTFE SHEET
CODE: MT0902 - 10 pcs
200 x 130 mm



PRODUCTS
WAXING TOOLS
STANDARD THERMOMETER
CODE: MT0915
temp. -20°/+50°



PRODUCTS
WAXING TOOLS
SYNTHETIC CORK
CODE: MT0113
70 x 50 x 35 mm



PRODUCTS
WAXING TOOLS
CORK
CODE: MT0110
70 x 50 x 35 mm



PRODUCTS
WAXING TOOLS
NORDIC SCRAPER
CODE: MT0510
GROOVE SCRAPER
CODE: MT0512



PRODUCTS
WAXING TOOLS
STEEL SCRAPER
CODE: MT0513 - 1 mm



PRODUCTS
WAXING TOOLS
FIBERLENE TAPE
CODE: MT0900
10 mt x 130 mm



PRODUCTS
WAXING TOOLS
DIGITAL PROBE THERMOMETER
CODE: MT0921
temp. -40°/+200°



PRODUCTS
WAXING TOOLS
INFRARED THERMOMETER GUN
CODE: MT0916
temp. -33°/+500°



PRODUCTS
WAXING TOOLS
DIGITAL THERMO HYGROMETER
CODE: MT0920
temp. -40°/+70°
hr. 1%/99%



PRODUCTS
WAXING TOOLS
POWDER NET DISPENSER
CODE: MT0905



PRODUCTS
WAXING TOOLS
CLAMP FOR THERMO COVER
CODE: MT0802



10 alpine ski or 20 XC ski - 55°C x 6/8 hours - for ski base saturation

PRODUCTS
WAXING TOOLS
WAXING THERMO BAG
CODE: MT0800 - AC 220V
2200 x 450 x 450 mm
ADJUSTABLE TEMP: 30°C - 70°C



PRODUCTS
WAXING TOOLS
THERMO WAXING COVER
ALPINE - MT0801N - AC 220V
ALPINE - MT0801NUS - AC 110V

55°C - 60°C - 2300 x 140 mm
55°C x 2h for quick ski base saturation



THERMO WAXING COVER
FREERIDE - MT0805N - AC 220V
FREERIDE - MT0805NUS - AC 110V

55°C - 60°C - 2000 x 170 mm
55°C x 2h for quick ski base saturation

THERMO WAXING COVER
SNOWBOARD - MT0806N - AC 220V
SNOWBOARD - MT0806NUS - AC 110V

55°C - 60°C - 1800 x 330 mm
55°C x 2h for quick ski base saturation



PRODUCTS
WAXING TOOLS
THERMO WAXING COVER
JUMPING - MT0801JP - AC 220V

55°C - 60°C - 3000 x 185 mm
55°C x 2h for quick ski base saturation



PRODUCTS
WAXING TOOLS
SKIMAN BOX
CODE: BMC0100
470 x 360 x 175 mm

PRODUCTS

SKILAB ACCESSORIES

PROTECTIVE MASK
CODE: KZ08005

PRODUCTS

SKILAB ACCESSORIES

HOLE PLUGS
CODE: LK21101 - 500 pcs
MIXED NORMAL COLORS

PRODUCTS

SKILAB ACCESSORIES

STEEL SKI DRILL
CODE: MM420L - 3,5 x 7 mm
CODE: MM420L - 3,5 x 9 mm
CODE: MM420L - 3,8 x 10 mm
CODE: MM420L - 3,8 x 15 mm
CODE: MM420L - 4,1 x 9 mm

PRODUCTS

SKILAB ACCESSORIES

SCREW DRIVER BIT
CODE: MMF4302
pzd2 x 110 mm - A4 standard
CODE: MMF4303
pzd3 x 110 mm - A4 standard

PRODUCTS

SKILAB ACCESSORIES

**ELASTICS FOR
BINDING**
CODE: SM058100 - 1 kg

PRODUCTS

SKILAB ACCESSORIES

**STEEL STRUCTURE
BRUSH**
CODE: BK00130

PRODUCTS

SKILAB ACCESSORIES

TRUE BAR
CODE: MT0514 - 3 mm
STEEL SCRAPER

PRODUCTS

SKILAB ACCESSORIES

**PLASTIC BUSHING
THREADED**
CODE: LK21201 - 100 pcs
BLACK

PRODUCTS

SKILAB ACCESSORIES

**HARD STEEL
SKI DRILL**
CODE: MM420CO - 4,1 x 9 mm

PRODUCTS

SKILAB ACCESSORIES

**LUBRICANT FOR
SKI BINDINGS**
CODE: MM490 - 150 ml

PRODUCTS

SKILAB ACCESSORIES

SAND PAPER 70 x 200 mm
CODE: BK00008 gr 600 - 5 pcs

SAND PAPER 120 x 200 mm
CODE: BK00950 gr 180 - 5 pcs
CODE: BK00951 gr 120 - 5 pcs

PRODUCTS

MAINTENANCE SOLES

SKI BASE
CODE: LK00001 - transparent - 4pcs
LK00002 - graphite - 4pcs
250 x 80 x 1,3 mm

PRODUCTS

MAINTENANCE SOLES

GUN CANDLE ø 11.5 mm
CODE: LK20301 - transparent
LK20302 - graphite
LK20303 - black

PRODUCTS

MAINTENANCE SOLES

**WIRE FOR SMEARING
MACHINE ø 3mm - 0.5 kg**
CODE: LK20601 - transparent
LK20602 - graphite
LK20607 - black

PRODUCTS

MAINTENANCE SOLES

**WIRE FOR SMEARING
MACHINE ø 3mm - 1.5 kg**
CODE: LK20661 - transparent
LK20662 - graphite
LK20667 - black

PRODUCTS

MAINTENANCE SOLES

**POLYMERIC ADHESIVE
FOR SKI BASE REPAIRING**
CODE: LK00010 - amber - 25 ml
LK00015 - black - 25 ml

PRODUCTS

MAINTENANCE SOLES

**UNIVERSAL
CYANACRYLATE ADHESIVE**
CODE: LK00020 - transparent - 30 gr

PRODUCTS

MAINTENANCE SOLES

FREE CANDLE ø 8 mm
CODE: LK20001 - transparent
LK20002 - graphite
LK20003 - black

PRODUCTS

MAINTENANCE SOLES

WELDING STRIP
CODE: LK20401 - transparent
LK20402 - graphite
LK20403 - black

PRODUCTS

MAINTENANCE SOLES

**WIRE FOR SMEARING
MACHINE ø 3mm - 1.5 kg**
CODE: LK20661 - transparent
LK20662 - graphite
LK20667 - black

PRODUCTS

MAINTENANCE SOLES

METAL GRIP ø 3,5mm - 10 mt
CODE: LK20902 - transparent
LK20904 - graphite

PRODUCTS

MAINTENANCE SOLES

MIXING TIPS
CODE: LK00016 - 12 pcs

PRODUCTS

MAINTENANCE SOLES

**PRIMER FOR
POLYETHYLENE**
CODE: LK00021 - spray - 15 ml



SKI MAN
FOLDING TABLE

UNIVERSAL SKIMAN TABLE
CODE: MT0610
Bag included




SKI MAN
FOLDING TABLE

ALPINE SKIMAN TABLE PRO
CODE: MT0611
Aluminium light weight



SKI MAN
ACCESSORIES

XC PROFILE PRO
CODE: MT0613
Aluminium light weight
for table 611-612



SKI MAN
ACCESSORIES

SKI RACK
CODE: MT0614



SKI MAN
ACCESSORIES

CENTRAL CLIP
CODE: MT0617
for profile 613



SKI MAN
ACCESSORIES

IRON HOLDER
CODE: MT0620



SKI MAN
FOLDING TABLE

XC SKIMAN TABLE PRO
CODE: MT0612
Aluminium light weight



SKI MAN
FOLDING TABLE

UNIVERSAL DOUBLE BENCH
CODE: MT0630
L110 x W40 x H84 cm.
19 kg.



SKI MAN
ACCESSORIES

RUBBISH BAG HOLDER
CODE: MT0621



SKI MAN
ACCESSORIES

XC PROFILE SET PRO
CODE: MT0623
Aluminium light weight



SKI MAN
FOLDING TABLE

TRAVEL BENCH
CODE: MT0640
L115 x W9,5 x H120 cm.
3,6 kg.



SKI MAN
ACCESSORIES

TABLE BAG
CODE: MT0608
for table 610
CODE: MT0628
for table 611-612



SKI MAN
ACCESSORIES

XC PROFILE SET
CODE: MT0635
L150 x W4 x H18 cm.
3,7 kg.
(ski from 140 to 210 cm.)

PRODUCTS

SKI AND SNOWBOARD WISE

SKI WISE QUICK
CODE: SM00690

- High-tensile aluminium body
- Light and easy to transport
- For tuning all types & shapes of skis
- Special rubber to grip the ski during base work
- Included 2 brake retainers

PRODUCTS

SKI AND SNOWBOARD WISE

SKI WISE 24 HOURS
CODE: SM00650

- High-tensile aluminium body
- Light and easy to transport
- For tuning all types & shapes of skis
- Special rubber to grip the ski during side and base work
- Included 2 brake retainers

PRODUCTS

SKI AND SNOWBOARD WISE

SKI SUPPORT
CODE: SM00695

- High-tensile aluminium body
- Light and easy to transport
- For tuning all types & shapes of skis
- Special rubber to grip the ski during base work
- Included 2 brake retainers

PRODUCTS

SKI AND SNOWBOARD WISE

BRAVO SUPPORT
CODE: SM00635
for SM00691-1070N-1110N-1110NW


- Universal adapter with special rubber to grip cross-country ski, snowboard & wide ski during the base tuning

PRODUCTS

SKI AND SNOWBOARD WISE

SKI VISE COMP
CODE: SM00691
max opening 85 mm

- Jaw width 30 mm
- Jaw opening: up to 90 mm
- High-tensile aluminium body
- Light and easy to transport
- For tuning all types & shapes of skis
- Included 2 brake retainers



PRODUCTS

SKI AND SNOWBOARD WISE

SKI WISE RACING
CODE: SM01070N
max opening 100 mm

- Jaw width: 70 mm
- Jaw opening: up to 100 mm
- Rubber lined vice jaws
- Special rubber with small suction cups on the top grip of the supports
- Adjustable guide blocks
- For skis with all kinds of riser plates
- High tensile aluminum body
- Also use horizontally for mounting bindings
- Included 2 brake retainers
- Designed to clamp also in the plate or binding

PRODUCTS

SKI AND SNOWBOARD WISE

SKI WISE PRO
CODE: SM01110N
max opening 100 mm

- Jaw width 90 mm
- Jaw opening: up to 100 mm
- High-tensile aluminium body
- For tuning all types & shapes of skis
- Included 2 brake retainers
- Designed to clamp also in the plate or binding

PRODUCTS

SKI AND SNOWBOARD WISE

SKI VISE PRO "WIDE OPENING"
CODE: SM01110NW
max opening 155 mm

- Jaw width 90 mm
- Jaw opening: up to 155 mm
- High-tensile aluminium body
- For tuning all types & shapes of skis
- Included 2 brake retainers
- Designed to clamp also in the plate or binding

PRODUCTS

SKI AND SNOWBOARD WISE

SKI VISE CROSS COUNTRY WORLD CUP
CODE: SM00670N

- High-tensile aluminium body
- Light and practical for travelling
- For tuning all types & shapes of nordic skis



SKI AND SNOWBOARD WISE

SKI WISE XXL
CODE: SM00994


- High-tensile aluminium body
- Jaw width 70 mm
- Jaws opening up to 155 mm



SKI AND SNOWBOARD WISE

SNOWBOARD - FREERIDE SKI VISE
CODE: SM01003N

- High-impact plastic body
- For tuning all types of snowboards and wide skis
- Special rubber to grip the snowboards and wide skis during side and base tuning
- Two side edge positions: standard 90° and easy 60°
- Binding clearance: 160 mm



SKI AND SNOWBOARD WISE

DOUBLE WORKSHOP VISE
CODE: SM01021N


- Professional workshop vise for working on the base, on the bindings and plates, and on the side edge of all kind of skis and snowboard



SKI AND SNOWBOARD WISE

DOUBLE WORKSHOP SUPPORT
CODE: SM01022N

- Professional workshop supports for working on the side edge of all kind of skis and snowboard



EDGE SHARPENERS

RACING SHARP
CODE: SM05006
Side edge: 89°-88°-87°-86° / Base edge: 0,5°- 1°

- Ergonomic side edge sharpener
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Right and left hand use
- For ski and snowboard
- Spare file 80 mm SM05104



EDGE SHARPENERS

RACING SHARP KIT
CODE: SM05007

- Ergonomic side edge sharpener
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Right and left hand use
- For ski and snowboard



EDGE SHARPENERS

QUICK SHARP 88°-89°
CODE: SM03007

- Ergonomic side edge sharpener
- Pocket size, «on the slope» use also
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Right and left hand use
- For ski and snowboard
- Spare file 40 mm SM05105



EDGE SHARPENERS

QUICK SHARP KIT 88°-89°
CODE: SM03009

- Ergonomic side edge sharpener
- Pocket size, «on the slope» use also
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Right and left hand use
- For ski and snowboard
- Spare file 40 mm SM05105



EDGE SHARPENERS

DIAMOND SHARP 88°-89°
CODE: SM04006N

- Ergonomic side edge sharpener
- Pocket size, «on the slope» use also
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Right and left hand use
- For ski and snowboard
- Spare file 40 mm SM05190





EDGE SHARPENERS

SPARE DIAMOND DISC
CODE: SM05190



EDGE SHARPENERS

SPARE ZIRCONIUM
CODE: SM05140



EDGE SHARPENERS

SPARE DIAMOND
CODE: SM05160



EDGE SHARPENERS

SPARE FILE BASTARD
CODE: SM05104 - 80 mm
SM05105 - 40 mm



EDGE SHARPENERS

PRO SHARP
CODE: SM05001
from 90° to 85°

- Professional side edge sharpener
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Fits any files, stones or diamonds up to 6 mm thick
- Ball bearing system to protect the base
- Right and left hand use
- For ski and snowboard
- Spare file 80 mm included



EDGE SHARPENERS

ERGO SHARP
CODE: SM05002
from 90° to 85°

- Ergonomic side edge sharpener
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Fits any files, stones or diamonds up to 6 mm thick
- Right and left hand use
- For ski and snowboard
- Spare file 80 mm included



EDGE SHARPENERS

PLEXI SHARP
CODE: SM00630N

- Wax scraper sharpener
- Used for 3, 4, 5 mm plexi wax scraper thick
- 100 mm body file included
- Spare 100 mm body file included



EDGE SHARPENERS

SPARE BODY FILE
CODE: SM05101



EDGE SHARPENERS

SIDEWALL SHARP
CODE: SM03004

- Ergonomic sidewall planer
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Adjustable blade position and cutting depth
- Right and left hand use
- For ski and snowboard



EDGE SHARPENERS

SIDEWALL SHARP WORLD CUP
CODE: SM05005N

- Professional sidewall planer
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Adjustable blade position and cutting depth
- Right and left hand use
- For ski and snowboard



SPARE BLADE STANDARD
CODE: SM05120



SPARE BLADE RADIUS 3 mm
CODE: SM05125



SPARE BLADE ROUND
CODE: SM05130



EDGE SHARPENERS

ADJUSTABLE BASE EDGE FILE GUIDE
CODE: SM03071
from 0,5° to 1,5°

- Base edge sharpener
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Fits any files, stones or diamonds up to 6 mm thick
- For ski and snowboard



EDGE SHARPENERS

BASE EDGE FILE GUIDE
CODE: SM03051N - 0,5°
SM03052N - 0,75°
SM03053N - 1°

- Professional base edge sharpener
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- Fits any files, stones or diamonds up to 6 mm thick
- For ski and snowboard





EDGE SHARPENERS

RACING GUIDE

CODE: SM03030 - 90°
SM03031 - 89°
SM03032 - 88°
SM03033 - 87°
SM03034 - 86°

- Side edge file guide with ergonomic clamp included
- Designed to eject metal filings
- Fits any files, stones or diamonds
- For ski and snowboard



EDGE SHARPENERS

RACING GUIDE PLUS

CODE: SM03040 - 90°
SM03041 - 89°
SM03042 - 88°
SM03043 - 87°
SM03044 - 86°

- Side edge file guide with clamp included
- Designed to eject metal filings
- Ball bearing system to protect the base
- Fits any files, stones or diamonds
- For ski and snowboard



EDGE SHARPENERS

INOX SQUARE

CODE: SQ0090 - 90°
SQ0089 - 89°
SQ0088 - 88°
SQ0087 - 87°
SQ0086 - 86°
SQ0085 - 85°



ALUMINIUM SQUARE

CODE: SQ0090V - 90°
SQ0089V - 89°
SQ0088V - 88°
SQ0087V - 87°
SQ0086V - 86°
SQ0085V - 85°



EDGE SHARPENERS

SKI FILE CLAMP

CODE: MT0803



PRODUCTS

EDGE SHARPENERS

BRAVO SHARP

CODE: SM09001
from 90° to 86°

Electric side edge sharpener for fast and professional sharpening of side edges of ski and snowboard. Thanks to its innovative design, side edges can be prepared with considerably less effort than with conventional manual devices, even if side edges are severely damaged.


- 220 V (for european market only)
- Weight 1.3 kg

Including:
DIAMOND DISC FINE
DIAMOND DISC COARSE



STAINLESS STEEL PLATE

Easy angle setting
between 90° and 85°



PRODUCTS

EDGE SHARPENERS

DIAMOND DISC COARSE

CODE: SM09002
Angle set-up and deburring.



PRODUCTS

EDGE SHARPENERS

DIAMOND DISC MEDIUM

CODE: SM09003
General maintenance.



PRODUCTS

EDGE SHARPENERS

DIAMOND DISC FINE

CODE: SM09004
World Cup precise polishing.



PRODUCTS

EDGE SHARPENERS

DIAMOND DISC EXTRA FINE


CODE: SM09005
Super fine polishing.



NORDIC STRUCTURE

NORDIC SHARP
CODE: SM08001
Art. SM08006 included

- Ergonomic structuring tool with interchangeable structure rollers
- Easy handling, steady grip, maximum accuracy
- Best results, minimum effort
- According to the snow conditions, it will increase the glide of the skis
- Delivered with a medium diagonal roller




PRODUCTS

NORDIC STRUCTURE

LINEAR COARSE
CODE: SM08002
for warm and wet conditions

LINEAR MEDIUM
CODE: SM08003
for universal conditions

LINEAR FINE
CODE: SM08004
for cold conditions




PRODUCTS

NORDIC STRUCTURE

DIAGONAL COARSE
CODE: SM08005
for warm and wet conditions

DIAGONAL MEDIUM
CODE: SM08006
for universal conditions

DIAGONAL FINE
CODE: SM08007
for cold conditions



PRODUCTS

NORDIC STRUCTURE

W COARSE
CODE: SM08008
for warm and wet conditions

W MEDIUM
CODE: SM08009
for universal conditions

W FINE
CODE: SM08010
for cold conditions

PRODUCTS

HOTBOX WAXING MACHINE

HOTBOX 140
CODE: SV00001
DIMENSIONS: 205X198X100 mm
WEIGHT: 3 kg
VOLTAGE: 220V/50HZ
AVAILABLE AT: 110V
ABSORPTION: 0.7 Kw
OPERATING TEMP.: 110° - 140° C
ROLLER WIDTH: 120 mm



HOTBOX ACCESSORIES

140 TANK WITH STANDARD ROLLER
CODE: SV00002



140 TANK WITH CROSS COUNTRY ROLLER
CODE: SV00003
Thin + Thick Layer

160 TANK WITH STANDARD ROLLER
CODE: SV00011



350 TANK WITH SILICON ROLLER
CODE: SV00009

HOTBOX ACCESSORIES

140 TANK WITH SKI WAX SCRAPERS
CODE: SV00004



HOTBOX ACCESSORIES

140 TANK COVER
CODE: SV00006
160 TANK COVER
CODE: SV00012



PRODUCTS

HOTBOX WAXING MACHINE

GRIP WAX DIGITAL HOTBOX
CODE: SV00013
DIMENSIONS: 205X198X100 mm
WEIGHT: 4 kg
VOLTAGE: 220V/50HZ
AVAILABLE AT: 110V
ABSORPTION: 0.7 Kw
OPERATING TEMP.: 50° - 200° C
ROLLER WIDTH: 100 mm



PRODUCTS

HOTBOX ACCESSORIES

GRIP WAX TANK WITH ROLLERS
CODE: SV00014



PRODUCTS

MOTOBURSH ACCESSORIES

PLEXY SCRAPER
CODE: SV00030N



PRODUCTS

HOTBOX ACCESSORIES

HERMETIC BOX WITH FOAM PROTECTION FOR HOT BOX 140 - 160
CODE: SV00007



ROTO WAXING & BRUSHING MACHINE



PRODUCTS

ROTO WAXING & BRUSHING MACHINE

MOTO BRUSH 2 WITHOUT ROLLERS
CODE: SV00020N
1 HEATING PLATE

USE

Professional waxing and brushing machine with one heating plate and replaceable rollers.

DIMENSIONS: 590X160X215 MM
WEIGHT: 15 KG
VOLTAGE 220V/50HZ
ABSORPTION 0.5 KW



PRODUCTS

ROTO WAXING ACCESSORIES
ROLLER FOR MERINO WOOL LEATHER
CODE: SV00029 - 14 cm



PRODUCTS

ROTO WAXING ACCESSORIES
MERINO WOOL LEATHER
CODE: SV00021 - 14 cm



PRODUCTS

ROTO WAXING ACCESSORIES
SCOTCH BRITE ROLLER
CODE: SV00027 - 16 cm



PRODUCTS

ROTO WAXING ACCESSORIES
BRASS BRUSH 13 mm
CODE: SV00022 - 16 cm



PRODUCTS

ROTO WAXING ACCESSORIES
HORSEHAIR BRUSH 10 mm
CODE: SV00023 - 16 cm



PRODUCTS

ROTO WAXING ACCESSORIES
NYLON BRUSH 10 mm
CODE: SV00024 - 16 cm



PRODUCTS

ROTO WAXING ACCESSORIES
NYLON/HORSEHAIR BRUSH 10 mm
CODE: SV00026 - 16 cm



PRODUCTS

MOTOBRUSH ACCESSORIES
WORK BASE HIGH STABILITY WORK BASE WITH DOOR AND SHELVES FOR HOT BOX AND MOTO BRUSH 2
CODE: SV00040

BAG & ACCESSORIES



PRODUCTS

BAG & ACCESSORIES
RACING BACK PACK
CODE: MB0300



PRODUCTS

BAG & ACCESSORIES
SKI BACK PACK PRO
CODE: MB0305



PRODUCTS

BAG & ACCESSORIES
ALPINE BACK PACK
CODE: MB0310



PRODUCTS

BAG & ACCESSORIES
TRAVELLER TROLLEY
CODE: MB0200 - 90lt



PRODUCTS

BAG & ACCESSORIES
TEAM WHEEL BAG
CODE: MB0205 - 70lt



PRODUCTS

BAG & ACCESSORIES
SKITUBE
CODE: MB0400
3 xc ski - 1 alpine ski



PRODUCTS

BAG & ACCESSORIES
SKIBAG
CODE: MB0405
3 xc ski - 1 alpine ski



PRODUCTS

BAG & ACCESSORIES
WHEEL SKIBAG PRO
CODE: MB0410
6 xc ski - 3 alpine ski



PRODUCTS

ACCESSORIES
MERCHANDISING

SYNTHETIC DOWN JACKET
CODE: MA0322
S-M-L-XL-XXL



PRODUCTS

ACCESSORIES
MERCHANDISING

BUTTON NECK SHIRT
CODE: MA0009 - Short sleeves
MA0019 - Long sleeves
S-M-L-XL-XXL



PRODUCTS

ACCESSORIES
MERCHANDISING

THERMO BELT
CODE: MA0007



PRODUCTS

ACCESSORIES
MERCHANDISING

XC SKI STRAP
CODE: MA0025M
ALPINE SKI STRAP
CODE: MA0004M



PRODUCTS

ACCESSORIES
MERCHANDISING

XC RACING CLIP
CODE: MA0005M



PRODUCTS

ACCESSORIES
MERCHANDISING

SKIMAN APRON COTTON
CODE: MA0003M



PRODUCTS

ACCESSORIES
MERCHANDISING

CAP
CODE: MC0050



PRODUCTS

ACCESSORIES
MERCHANDISING

PATCH
CODE: MA1033B - Black
MA1033W - White



PRODUCTS

ACCESSORIES
MERCHANDISING

STICKER
CODE: MA1001M - 310 x 50 mm
MA1002M - 830 x 140 mm

PRODUCTS

ACCESSORIES
MERCHANDISING

ADHESIVE PAPER TAPE
CODE: MA1014M

ADHESIVE TAPE
CODE: MA1004M

NO-ADHESIVE PAPER SKI TAPE
CODE: MA1044M



PRODUCTS

ACCESSORIES
MERCHANDISING

NOW WOVEN BANNER
CODE: MA1005M
0,80 x 4 mt



PRODUCTS

ACCESSORIES
MERCHANDISING

FLAG
CODE: MA1008M
0,66 x 3,70 mt

PRODUCTS

ACCESSORIES
MERCHANDISING

DRINK FIT BELT
CODE: MB0100



PRODUCTS

ACCESSORIES
MERCHANDISING

SKI HARNESS
CODE: MB0105



PRODUCTS

ACCESSORIES
MERCHANDISING

STAND DISPLAY
CODE: MA1140
(products not included)
Included:
• 1 Shelf
• 10 Hooks - cm10
• 10 Hooks - cm15

SPARE HOOK
CODE: MA1210 - cm15
CODE: MA1215 - cm10

SPARE SHELF
CODE: MA1220
4 WHEELS SET
CODE: MA1225



PRODUCTS

ACCESSORIES
MERCHANDISING

SKI HOLDING STRIPE
CODE: MA0015
for XC & Alpine ski



STRESS IT SPRAY IT RESTORE IT

Wet...mud.. rain.... if you are a sport and outdoor life addicted, you often meet them on your way.

MAPLUS SUPER CARE LINE ensure that the high techs of your textiles and equipment go on longer and longer with you.

And with the **NEW ECO SUPER CARE LINE** totally environmentally oriented - while you care of your stuff, you focus on the biggest heritage we love and we must take care of.



PRODUCTS

SUPER CARE LINE

**CLOTHING
SUPER CARE**
CODE: MI0001
6 x 250 ml - Display Box

**TEXTILE
SUPER CARE**
CODE: MI0005
6 x 250 ml - Display Box

**SHOES & GLOVES
SUPER CARE**
CODE: MI0010
6 x 250 ml - Display Box

**UNIVERSAL
SANITIZING**
CODE: MI0050 - 250 ml Spray
CODE: MI0051 - 5 lt - Liquid



PRODUCTS

ECO SUPER CARE LINE

**ECO CLOTHING
SUPER CARE**
CODE: MI0101
SIZE: 500 ml

**ECO TEXTILE
SUPER CARE**
CODE: MI0105
SIZE: 500 ml

**ECO SHOES & GLOVES
SUPER CARE**
CODE: MI0110
SIZE: 500 ml

Maflon s.p.a. is the italian leading company into processing high quality fluorchemical products matching the environmental sustainability.

The R&D department produces constantly new formulations of fluorinated polymers to realize appropriate and durable coating solutions for any kind of surface so to create a highly effective protective barrier against different agents as oils, water, food and beverages.

In order to get these results we respect the most advanced rules in term of sustainable development taking the best care of human being.

Recently we have developed a line of eco-compatible active substances, soluble in water-base, so to obtain more and more environment friendly products maintaining excellent characteristics of hydro and oil repellency.

CLOTHING SUPER CARE

CODE: MI0001
6 x 250 ml - Display Box

Super waterproofing spray polymer for high technology functional clothing.

- Special for all membrane textiles (e.g. GORE-TEX®), natural and synthetic clothing included elastic functional textiles. Extremely versatile.
- It guarantees the best impregnation maintaining the original breathability.
- It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- Easy and quick to use

TEXTILE SUPER CARE

CODE: MI0005
6 x 250 ml - Display Box

Super waterproofing spray polymer for high technology fabric of tents, backpacks, bags, gloves, and umbrellas.

- Special for all natural and synthetic functional textiles and membrane textiles (e.g. GORE-TEX®). Extremely versatile.
- It guarantees the best impregnation maintaining the original breathability.
- It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- Easy and quick to use

SHOES & GLOVES SUPER CARE

CODE: MI0010
6 x 250 ml - Display Box

Super waterproofing spray polymer for high technology outdoor and mountains shoes and gloves in leather or mixed fabrics.

- Special for all membrane textiles (e.g. GORE-TEX®), natural and synthetic functional textiles and leather. Extremely versatile.
- It guarantees the best impregnation maintaining the original breathability.
- It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- It nourishes the outer material conserving the original flexibility.
- Easy and quick to use

UNIVERSAL SANITIZING

CODE: MI0050 - 250 ml Spray
CODE: MI0051 - 5 lt - Liquid

Super effective and long-lasting sanitizing for helmets, boots, gloves and shoes.

- Extremely versatile for professional and leisure applications.
- It totally neutralizes unpleasant odors leaving a fresh neutral fragrance.
- Environment friendly it works with total absence of corrosive or irritating action.
- The regular use ensures long-lasting freshness
- Easy and quick to use



Recently we have developed a line of eco-compatible active substances, soluble in water-base, so to obtain more and more environment friendly products maintaining excellent characteristics of hydro and oil repellency.

Maflon s.p.a. is fully involved in the LCPFCs (Long-chain perfluorinated chemicals) elimination process therefore all our products do not contain PFOA and related compounds.

From this very high level experience the Maplus Care Line was born guaranteeing the best results in term of maintaining the oil and hydro repellency and the anti-stain properties of the functional clothing, technical textiles and all kind of outdoor and mountain shoes conserving the correct and effective breathability.

ECO CLOTHING SUPER CARE

CODE: MI0001
SIZE: 500 ml

Waterproofing spray polymer for high technology functional clothing

- Special for all membrane textiles (e.g. GORE-TEX®), natural and synthetic clothing included elastic functional textiles. Extremely versatile.
- It guarantees the best impregnation maintaining the original breathability.
- Special formula soluble in water-base. Environment friendly.
- It creates an effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- Environment friendly trigger spray without propellant gas

ECO TEXTILE SUPER CARE

CODE: MI0105
SIZE: 500 ml

Waterproofing spray polymer for high technology fabric of tents, backpacks, bags, gloves, and umbrellas.

- Special for all natural and synthetic functional textiles and membrane textiles (e.g. GORE-TEX®). Extremely versatile.
- It guarantees the best impregnation maintaining the original breathability.
- Special formula soluble in water-base. Environment friendly.
- It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- Environment friendly trigger spray without propellant gas
- Easy and quick to use

ECO SHOES & GLOVES SUPER CARE

CODE: MI0110
SIZE: 500 ml

Waterproofing spray polymer for high technology outdoor and mountains shoes and gloves in leather or mixed fabrics.

- Special for all membrane textiles (e.g. GORE-TEX®), natural and synthetic functional textiles and leather. Extremely versatile.
- It guarantees the best impregnation maintaining the original breathability.
- Special formula soluble in water-base. Environment friendly.
- It creates a highly effective protective barrier guaranteeing the best results in term of oil and hydro repellency and anti-stain properties.
- It nourishes the outer material conserving the original flexibility.
- Environment friendly trigger spray without propellant gas
- Easy and quick to use



MAPLUS

MAFLON S.P.A - MAPLUS DIVISION

MAFLON S.p.A. - Viale Bianca Maria, 41 - 20122 Milano (Mi)

PH. +39 035 4494383 - FAX +39 035 4425443

www.maplus.it - e-mail: info@maplus.it

OFFICIAL SUPPLIER OF



MAPLUS® is a registered trade mark of Maflon S.p.A.

Maflon S.p.A. reserves the right to modify or discountinue any product in every moment at its own discretion or as a result of supervening regulations incompatible with those reported. Every product may not be available in all countries.